


BG42

TECHNICAL SPECIFICATION

TECHNICAL SPECIFICATIONS

LENGTH OVERALL (LOA)	12,98 m 42 ft 5 in
CE CERTIFIED LENGTH (LH)	12,05 m 39 ft 5 in
BEAM	4,37 m 14 ft 3 in
DRAFT @ FULL LOAD	1,05 m 3 ft 5 in
ENGINES	2 x Volvo Penta IPS 600 D6 / 2 x 320 kW / 435 HP STD 2 x Volvo Penta IPS 650 D6 / 2 x 358 kW / 480 HP OPT
DISPLACEMENT DRY CONDITION*	11.500 kg +/- 5% 25.350 lbs +/- 5%
DEADRISE	17°
FUEL CAPACITY	1.400 370 gals
FRESH WATER CAPACITY	360 95 gals
BLACK WATER CAPACITY	95 25 gals
MAX SPEED	35 kn +/- 5% ** 38 kn +/- 5%
CRUISE SPEED	30 kn +/- 5% ** 31 kn +/- 5%
MAX N° PASSENGERS	14
BERTHS	2
CLASS CERTIFICATION	CE cat. B
CONCEPT	Luca Santella
DESIGN	Luca Santella & Zuccon International Project
HULL DESIGN	Louis T. Codega



MAIN DECK



LOWER DECK

* The displacement data is calculated in accordance with the present specification.

** The data relating to the speed of the vessel refers to the OPT engines, in accordance with the present specification considering 1/3 of the tanks load and 4 members of crew.

BASIC CONFIGURATION

FEATURES AND STANDARD EQUIPMENT

HULL DECK CONSTRUCTION

Molded fiberglass construction made with iso-neophenilic light grey gel coat (RAL ref. 9018) 1,5 mm surface skin coat of vinylester resin

Hull bottom in monolithic lamination made with biaxial, mquadriaxial glass, and ISO DCPD polyester resin

Sandwich core construction on side hull

Sandwich structural bulkheads

Deck and coach roof in sandwich with vinylester resin white gel coat (RAL ref. 9010)

Antifouling on hull

DECK

Twin fiberglass doors covering bow mooring system

Anchor 15 kg S/S

Custom bow roller design S/S

Galvanized chain 8 mm 75 m

Anchor safety cable

Electric anchor winch 1000 W

N° 2 S/S fairleads

N° 2 S/S cleats

N° 2 retractable cleats at mid-ship

Hatch for storage on bow area

Bow sunpad

N° 2 fixed sky light

Navigation and anchor lights led system

Front and aft docking lights

Courtesy lights on walkaround

Horn

N° 6 speakers

N° 4 handrails in walkaround

Double fuel inlets

Fresh water inlet

Black water tank drain outlet to shore

Full carbon fiber hard top with struts painted in dark grey (RAL ref. 7043) and top in light grey (RAL ref. 7038)

Hard top tempered glass windshield on front and methacrylate on two sides, integrated led lights with dimmer and lockers

Helm station strataglass enclosure

Double electric windshield wiper with washer

Side windows on coachroof with integrated portholes

Stern sunpad openable with electric actuator for access to engines room

Gaff rack on both side

Shower with hot/cold water mixer

GRP walkaround floor with antiskid

S/S removable swimming ladder

N° 1 Boat name sticker BG font

COCKPIT

Double pilot seat

Electric telescopic teak table

Storage behind the pilot seat

Dinette access sliding door Hi-Fi

Subwoofer

220 V & USB sockets

Courtesy led light

Side bar cabinet with sink mixer tap water cold and warm with teak top

Cooktop ceramic

Trash bin

N° 2 S/S fridge (42 l)

CONSOLE

Hi-Fi

Compass

N° 2 monitor 9" GPS, depth and engines instrument board

VHF station with antenna

IPS joystick

Volvo Penta electronic engine throttle

230 V & USB sockets

Anchor winch control

Trim tabs control

Back-lighted switch panel for deck services

Storage

Steering wheel

Fire control for manual extinguisher

Red navigation light control

Courtesy light control

DINETTE

Dinette access sliding door
Stairs to lower deck with wooden steps
Handrail
U-shape sofa in fabric
Electric telescopic table
Side portholes
Blinds
Furniture with storage
Hi-Fi
N° 2 speakers
230 V & USB sockets
Wooden floor
Electrical panel with breakers on all circuits
Dimmable led lights
Fire extinguisher 1 kg

OWNER CABIN

Double bed with mattress
Cabinets
Wooden floor
Reading lights
Dimmable led lights
230 V & USB sockets
Openable porthole integrated in the panoramic window
Blinds
Pillows
Bed sheet covers
Bed sheets
N° 2 speakers
Fire extinguisher 1 kg

TOILET

Fresh water electric marine WC
Hydro brush for WC
Wooden floor
Led lights
Blind
230 V power sockets
Sink
Bathroom accessories

Cabinet

Openable porthole
Shower with handset and tempered glass door
Bathroom towels

ENGINE ROOM

2 x Volvo IPS 600 D6 / 2 x 320 kW / 435 HP
1.400 l (2 x 700 l) S/S fuel tanks with fuel sender connected with EVC Volvo system
Electric valves for fuel interception
Water/fuel filter
N° 4 bilge pumps; N° 2 in engine room and N° 2 in center hull, with automatic and manual control
Manual operating bilge pump
Fire extinguisher system with manual and automatic control
Engine room led light
N° 2 electrical ventilators
230 V power sockets

ELECTRICAL SYSTEM

Generator 5 kW 220 V
N° 1 generator AGM battery 100 Ah / 12 V
N° 2 engines AGM batteries 100 Ah / 12 V
N° 2 service GEL batteries 130 Ah / 12 V
Electric and manual battery switches
Battery charger 50 Ah
Inverter 2.000 W
220 V shore power 16 Ah with connection cable 15 m
30 Ah Galvanic Insulator

HIDRAULIC SYSTEM

Rotomolded plastic tank 320 l under the cabin beds with level transducer
Water heater 30 l (220 V)
Shore black water outlet discharge system
Fresh water autoclave pump
Black water tank 95 l

BLUEGAME

A BRAND OF SANLORENZO

Via Armezzone 3 - 19031 AMEGLIA (SP)
Phone +39 0187 618490 | Email info@bluegame.it

BLUEGAME.IT